



TILT TRUCKS & HOPPERS



HEAVY-DUTY PERFORMANCE

Our Tilt Trucks are manufactured with state-of-the-art materials that make the collection, movement and disposal of waste efficient in any facility.



BEST-IN-CLASS DURABILITY

Our products are made with high-quality resin and a state-of-the-art manufacturing process to provide industrial-strength tilt trucks for transporting heavy loads.



IMPROVED PRODUCTIVITY

Tilt trucks are designed to fit through commercial doorways and elevators during refuse collection, increasing productivity and reducing trips to the dumpster during waste collection.



PURPOSE-BUILT ERGONOMICS

The average cost of a work-related injury is \$38,000*, making ergonomically designed equipment critical to improve safety and worker productivity. Forkliftable and trainable tilt trucks are available to reduce worker strain and effort.



SUPPORTED SUSTAINABILITY EFFORTS

Our recycling tilt trucks contain up to 70% Post Consumer Recycled Resin (PCR) exceeding EPA guidelines and helps ensure proper collection, movement and disposal of recyclables.



*National Safety Council, 2005





STRUCTURAL FOAM

A low pressure form of injection molding that injects gas and resin into a mold, creating a foamed core. This mixture yields products that are **rigid and strong**.

1 IDEAL USE

Recommended for back of the house spaces such as manufacturing plants, property management, hospitality and construction.

2 INDUSTRIAL STRENGTH

Built to transport heavy loads, up to 2,100 lb.

3 MAINTENANCE-FREE DESIGN

The frameless design and non-porous material help to prevent dirt and debris from getting stuck in the corners.

4 EFFICIENCY

Molded in handle on the bottom of the tilt truck increases ease of dumping heavy waste.





ROTATIONAL MOLDING

Manufacturing that continuously **rotates resin throughout a heated, hollow mold** frame. This process has the ability to create **large, robust products** with a sustainable manufacturing process.

1 IDEAL USE

Recommended for front of house spaces such as airport terminals, concert venues and convention centers.

2 INDUSTRIAL STRENGTH

Built to transport heavy loads up to 2,300 lb.

3 SMOOTH SURFACES

Are easy to clean and disinfectant safe.

4 FLEXIBLE, YET STRONG

The flexible resin material does not crack or break when heavy materials are dropped into truck.

STRUCTURAL FOAM

TILT TRUCKS

Industrial strength construction to transport heavy loads of up to 2100 lb.

FEATURES & BENEFITS

- **Ergonomic "steering wheel" design handle** for better handling and steering.
- **Frameless Design**, thick walled body ensuring dirt, debris doesn't get caught in crevices.
- **Compact Design** fits through standard commercial doorways and onto elevators easily.
- **Inset Wheels** protect surrounding walls, doors and fixtures from damage.



1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG9T1300	BLA	STRUCTURAL FOAM TILT TRUCK, UTILITY-DUTY	57.38" L × 26.88" W × 33.88" H	450 LB	1
FG9T1400	BLA	STRUCTURAL FOAM TILT TRUCK, STANDARD-DUTY	57.38" L × 26.88" W × 33.88" H	850 LB	1

3/4 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG101100	BLA	STRUCTURAL FOAM TILT TRUCK, UTILITY-DUTY	64.5" L × 30.25" W × 38" H	600 LB	1
FG101300	BLA	STRUCTURAL FOAM TILT TRUCK, STANDARD-DUTY	64.5" L × 30.25" W × 38" H	1,000 LB	1

1 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG9T1500	BLA	STRUCTURAL FOAM TILT TRUCK, STANDARD-DUTY	70.75" L × 33.5" W × 42.25" H	1,250 LB	1
FG9T1600	BLA	STRUCTURAL FOAM TILT TRUCK, HEAVY-DUTY	70.75" L × 33.5" W × 42.25" H	2,100 LB	1

ROTOMOLDED

TILT TRUCKS

Durable rotational molded trucks handle loads from 300 lb–2300 lb loads with ease.

FEATURES & BENEFITS

- **Easily-to-Move** design with swivel casters and fixed inset wheels for smooth handling of materials.
- **Corrosion Resistant** steel, powder coated frame.
- **Inset Wheels** protect surrounding walls, doors and fixtures from damage.



1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG130400	BLA	TILT TRUCK, UTILITY-DUTY	56.75" L × 28" W × 38.63" H	450 LB	1
FG130500	BLA	TILT TRUCK, STANDARD-DUTY	60" L × 28" W × 38.63" H	850 LB	1
FG130573	BLUE	TILT TRUCK, STANDARD-DUTY, BLUE RECYCLING	60" L × 28" W × 38.63" H	850 LB	1
FG130600	BLA	TILT TRUCK, HEAVY-DUTY	60" L × 28" W × 38.63" H	1,400 LB	1

1 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG131400	BLA	TILT TRUCK, UTILITY-DUTY	72.25" L × 33.5" W × 43.75" H	850 LB	1
FG131500	BLA, RED	TILT TRUCK, STANDARD-DUTY	72.25" L × 33.5" W × 43.75" H	1,250 LB	1
2089826	BLUE	TILT TRUCK, STANDARD-DUTY, BLUE RECYCLING	72.25" L × 33.5" W × 43.75" H	1,250 LB	1
FG131600	BLA	TILT TRUCK, HEAVY-DUTY	72.25" L × 33.5" W × 43.75" H	2,100 LB	1

1-1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG102500	BLA	TILT TRUCK, STANDARD-DUTY	80.5" L × 43" W × 49.5" H	1,200 LB	1

2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG103600	BLA	TILT TRUCK, HEAVY-DUTY	81.25" L × 46.75" W × 50" H	2,300 LB	1

2-1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG104600	BLA	TILT TRUCK, HEAVY-DUTY	81.5" L × 55.5" W × 50" H	2,300 LB	1

SPECIALTY ROTOMOLDED

TILT TRUCKS

Heavy-duty tow bar, hitch and forkliftable pockets allow trucks to be easily transported. These capabilities increase efficiency and decrease physical effort when moving loaded trucks.



Heavy-duty tow bar, hitch and frame for multiple truck towing and training, up to 5 MPH.



Forkliftable model fully compatible with forklifts and automated lifters.

1 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG131641	BLA	TOWABLE TRAINABLE TILT TRUCK, HEAVY-DUTY (RM)	72.5" L × 33.5" W × 42.25" H	2,100 LB	1
FG131542	BLA	FORKLIFTABLE TILT TRUCK, STANDARD-DUTY (RM)	72.25" L × 33.5" W × 43.75" H	1,250 LB	1

1-1/2 CUBIC YARD TILT TRUCKS

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG102641	BLA	TOWABLE TRAINABLE TILT TRUCK, HEAVY-DUTY (RM)	92" L × 44" W × 51" H	2,100 LB	1
FG102542	BLA	FORKLIFTABLE TILT TRUCK, STANDARD-DUTY (RM)	80.5" L × 43" W × 49.5" H	1,500 LB	1



FG131641BLA



FG130542BLA



FG102641BLA

SELF-DUMPING

HOPPERS

The Self-Dumping Hopper is designed to minimize fatigue and to help protect staff from over-exertion injuries.



Safely tilts a full 30 degrees below horizontal to ensure complete dumping.



Pull-release safety latch prohibits premature dumping.

1/2 CUBIC YARD HOPPER

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG105443	BLA	SELF-DUMPING HOPPER WITH FOUR 6" DIA (15.2 CM) POLYOLEFIN CASTERS	55" L × 26.25" W × 47.63" H	750 LB	1

1 CUBIC YARD HOPPER

NO.	COLOR	DESCRIPTION	DIMENSIONS	CAPACITY	PACK
FG105943	BLA	SELF-DUMPING HOPPER WITH FOUR 6" DIA (15.2 CM) POLYOLEFIN CASTERS	71.5" L × 31.25" W × 52.5" H	1,000 LB	1



FG105443

REPLACEMENT PARTS

Selecting the proper wheel or caster ensures maximum productivity, minimizes long-term costs and provides the greatest return on investment.

CASTERS

- The swivel caster is designed so that the wheel in the caster can rotate 360 degrees, making it ideal for moving heavy loads in warehouse.
- Rigid casters do not have a swivel bearing and move only forward or backward.



WHEELS

- Tilt trucks have 10" and 12" wheels available in light, utility, standard and heavy duty to transport differently sized loads.
- Traditional wheels have a maintenance-free rubber tire and plastic hubs.
- Pneumatic wheels have a tire that requires 42 PSI air pressure and maintenance.



ACCESSORIES

LIDS

Domed, hinged lids provide convenient access to contents without reducing overall capacity.



CART CADDY

Keeps cleaning supplies organized for more discreet appearance. Attaches to the tilt truck handle and holds up to 40 lb.



Recommended Tilt Trucks: FG131400BLA, FG131500BLA, FG131600BLA, FG102500BLA, FG102600BLA, FG103500BLA, FG103600BLA, FG104600BLA

STRUCTURAL FOAM TILT TRUCK CASTERS

NO.	COLOR	DESCRIPTION	DIMENSIONS	TILT TRUCK ITEM NO.	PACK
FG1011L20000	N/A	4" SWIVEL CASTER	4"	FG101100BLA, FG9T1300BLA	1
FG1013L20000	N/A	4" SWIVEL CASTER	4"	FG101300BLA, FG9T1400BLA	1
FG9T15L10000	N/A	5" SWIVEL CASTER	5"	FG9T1500BLA, FG9T1600BLA	1

STRUCTURAL FOAM TILT TRUCK WHEELS

NO.	COLOR	DESCRIPTION	DIMENSIONS	TILT TRUCK ITEM NO.	PACK
FG9T13L30000	N/A	10" WHEEL	10"	FG9T1300BLA	1
FG9T14L10000	N/A	10" WHEEL	10"	FG9T1400BLA	1
FG1011L10000	N/A	12" WHEEL	12"	FG101100BLA	1
FG1013L10000	N/A	12" WHEEL	12"	FG101300BLA	1
FG1315L30000	N/A	12" WHEEL	12"	FG9T1500BLA	1
FG1316L30000	N/A	12" WHEEL	12"	FG9T1600BLA	1



FG9T13L30000



FG1013L10000



FG9T14L10000

ROTOMOLDED TILT TRUCK CASTERS

NO.	COLOR	DESCRIPTION	DIMENSIONS	TILT TRUCK ITEM NO.	PACK
FG9T17L10000	N/A	4" THREADED STEM SWIVEL CASTER	4"	FG9T1700	1
FG1304L30000	N/A	4" STEM SWIVEL CASTER	4"	FG130400	1
FG1005L40000	N/A	3-1/2" CASTER WITH HARDWARE	3-1/2"	FG130500BLA, RED, YEL FG130573BLUE, FG130600BLA	1
FG9T18L10000	N/A	4" STEM SWIVEL CASTER	4"	FG9T1800BLA	1
FG1314L30000	N/A	5" STEM SWIVEL CASTER	5"	FG131400BLA	1
22130542	N/A	3.5" SWIVEL CASTER	3-1/2"	FG131500BLA, 2089826 FG131500YEL, RED, FG131542BLA	1
FG1316L20000	N/A	5" PLATE SWIVEL CASTER	5"	FG131600BLA	1
FG1025L40000	N/A	4" SWIVEL CASTER	4"	FG102500, FG102600, FG103500, FG103600, FG104600, FG102542	1
FG4727L30000	N/A	6" SWIVEL CASTER	6"	FG102641BLA, FG130641BLA, FG131641BLA	1
FG1054L50000	N/A	6" RIGID CASTER	6"	FG105443BLA, FG105943BLA	1
FG1054L40000	N/A	6" SWIVEL CASTER	6"	FG105443BLA, FG105943BLA	1

ROTOMOLDED TILT TRUCK WHEELS

NO.	COLOR	DESCRIPTION	DIMENSIONS	TILT TRUCK ITEM NO.	PACK
FG9T13L30000	N/A	10" WHEEL	10"	FG9T1700BLA	1
FG1004L30000	N/A	10" WHEEL	10"	FG130400BLA	1
FG1305L30000	N/A	10" WHEEL	10"	FG130500BLA, FG130500RED, 130500YEL, FG130573BLUE, FG9T1800BLA	1
FG1316L30000	N/A	10" WHEEL	10"	FG130600BLA	1
FG1014L30000	N/A	12" WHEEL	12"	FG131400BLA	1
FG1315L30000	N/A	12" WHEEL	12"	FG131500BLA, FG131500RED, FG131600YEL 2089826, FG13154200BLA	1
FG1316L30000	N/A	12" WHEEL	12"	FG131600BLA	1
FG1025L60000	N/A	12" WHEEL	12"	FG102500BLA, FG102542BLA	1
FG1026L60000	N/A	12" WHEEL	12"	FG102600BLA, FG103500BLA, FG103600BLA, FG104600BLA	1
FG9T06L10000	N/A	16" WHEEL PNEUMATIC	16"	FG130641BLA, FG131641BLA	1
FG1026L70000	N/A	16" WHEEL PNEUMATIC	16"	FG102641BLA	1

TILT TRUCK LIDS

NO.	COLOR	DESCRIPTION	DIMENSIONS	PACK
FG130700	BLA	LID FOR 1/2 CUBIC YARD RM TILT TRUCKS	56.5" L × 28.5" W × 9" H	1
FG131700	BLA	LID FOR 1 CUBIC YARD RM TILT TRUCKS	69.5" L × 34" W × 8.5" H	1
FG102700	BLA	LID FOR 1-1/2 CUBIC YARD RM TILT TRUCKS	82.88" L × 44.5" W × 3" H	1
FG9T2200	BLA	LID FOR 1/2 CUBIC YARD SF TILT TRUCKS	52" L × 27.88" W × 9" H	1
FG102800	BLA	LID FOR 3/4 CUBIC YARD SF TILT TRUCKS	61" L × 31.75" W × 8.75" H	1
FG9T2300	BLA	LID FOR 1 CUBIC YARD SF TILT TRUCKS	66.88" L × 34.5" W × 9" H	1

HANGING CART CADDY

NO.	COLOR	DESCRIPTION	DIMENSIONS	PACK
FG9T9000BLA	BLA	HANGING CART CADDY	28" L × 19" W × 1.50" H	6



RCP1632

© 2022 Rubbermaid Commercial Products LLC | 8900 NorthPointe Executive Park Drive, Huntersville, NC 28078

See the Rubbermaid® Commercial Products catalog or [rubbermaidcommercial.com](https://www.rubbermaidcommercial.com) for more information.