

SALVAJOR®



**Disposers and Controls**

# DISPOSERS

## CONE ASSEMBLIES



Choose the cone size that best suits your scrapping needs. We manufacture cones in 12, 15 and 18 inch diameters with optional covers to match.

## SINK MOUNT ASSEMBLIES



Models 100 and 200 fit easily under a 14" deep sink without modification. Our short top housing allows models 300 and 500 to also fit under 14" deep sinks.

## ADAPTORS



Replacement of all major brands with a Salvajor disposer is made easier and quicker using Salvajor adaptor mounting kits.



### Under 500 meals per day

Model 100 or 200



### Over 500 meals per day

Model 300 or 500

## DISPOSER CONTROLS



**MSS** - Basic Start/Stop operation for use in small kitchens and prep areas.

All controls are available with Line Disconnect and are NEMA 4 watertight.



**MRSS** - Basic manual reversing operation. Reversing motor direction increases cutter life.



**ARSS** - Automatic Reversing operation. HydroLogic control provides energy and water saving timer feature and drain flush. For use in medium to large kitchens. Available with Patented Operator Sensing Technology for even greater water savings.

Product configurations protected by U.S. Pat. No. 7,815,134 when used with sensor.

**HYDROLOGIC®**  
WATER & ENERGY SAVING TECHNOLOGY

# FEATURES

## Quiet Operation

Rubber mounting adaptor isolates sound and eliminates vibration

## Dual Direction Cutting Elements

Heavy ductile iron austempered for long life.

## Precision Machined Wear Sleeve

Close tolerances and hardened stainless steel provides long seal life.

## Extended Lip Water Seal

Protects the motor from water damage.

## Tapered Roller Bearing

Provides long motor life, quiet operation and a superior shock absorbing system.

## Permanent Mold Body

Our exterior housing is molded from a corrosion resistant, aircraft grade aluminum alloy, CNC machined to a chrome-like finish.

## Heavy Duty Energy Efficient Water Cooled Motor

Our water cooled motor provides maximum energy efficiency and longer motor life.

## Drain Outlet


Long life rubber facilitates easy installation and eliminates vibration. Models 300 and 500 accept 3" drain piping by removing drain adaptor.

## Thermal Overload Protection

Reduces the risk of motor burnout and assures longer life.



4 cutting rotors in order to match horsepower with grinding capacity.



Horsepower:  
1 - 2

Horsepower:  
3 - 5

*Today's Salvajor disposers are the result of a half century of innovation. Every Salvajor disposer benefits from exclusive features.*



**The Salvajor Company** 4530 East 75th Terrace Kansas City, Missouri 64132-2081, USA  
1-800-SALVAJOR (816) 363-1030 FAX: 1-800-832-9373  
www.salvajor.com Email: sales@salvajor.com service@salvajor.com

Manufacturers of Commercial Food Waste Disposing Systems since 1944